


UNITED STATES PATENT AND TRADEMARK OFFICE

BEFORE THE BOARD OF PATENT APPEALS
AND INTERFERENCES

Ex parte KENNETH E. DAHLBERG



Application No. 10/042,475

ORDER RETURNING UNDOCKETED APPEAL TO EXAMINER

This application was electronically received at the Board of Patent Appeals and Interferences on January 9, 2007. A review of the application has revealed that the application is not ready for docketing as an appeal. Accordingly, the application is herewith being returned to the examiner. The matter requiring attention prior to docketing is identified below.

Application No. 10/042,475

A review of the file reveals that the University of Washington, CRiSP1.6 Theory & Calibration Manual: VII.1 - Glossary reference, listed as evidence relied upon on page 3 of the examiner's answer was not scanned in IFW. Before further review, the examiner must have the reference scanned and made of record.

Appropriate action is required.

Accordingly, it is

ORDERED that this application be returned to the examiner to: 1) have the University of Washington, CRiSP1.6 Theory & Calibration Manual: VII.1 – Glossary reference scanned in IFW; and 2) for such further action as may be appropriate.

BOARD OF PATENT APPEALS
AND INTERFERENCES



PATRICK J. NOLAN
Deputy Chief Appeals Administrator
(571) 272-9797

cc: KEITH A. BELL
EXXON MOBILE UPSTREAM RESEARCH COMPANY
P.O. BOX 2189
HOUSTON, TX 77252-2189

PJN/lbg